



1. PRODUCT AND COMPANY IDENTIFICATION

Company
The Greenstreak Group, Inc.
3400 Treecourt Industrial Blvd
St. Louis MO 63122

24 Hour Emergency Response Information
1-800-332-7325 or 937-845-8776

Product : Lockstop Butyl Sealant

2. PRODUCT IDENTIFICATION

Product Name: CS- 101
Product Description: Butyl Sealant

H.M.I.S RATING
Health: 0
Fire: 0
Reactivity: 0
Protection: A

3. HAZARDOUS INGREDIENTS

HAZARDOUS COMPONENTS **CAS NO.** **% COMPOSITION** **OSHA PEL** **ACGIH TLV**

Not applicable for this product.

4. PHYSICAL DATA

Specific Gravity (H₂O=1)	: 1.35	Boiling Point	: N/A
Volatile (% Volume)	: 0.00%	Melt/ Freeze Pt.:	N/A
Solubility in Water	: Insoluble	Vapor Density	: N/A
Evaporation Rate (BuAc=1):	N/A	Vapor Pressure	: N/A
Volatile Organic Content	: N/A		
Appearance/ Odor	: Black tacky solid, slight petroleum odor		

5. FIRE AND EXPLOSION HAZARD DATA

Flash Point: 450°F

Method Used: COC

Flammable Limits in Air, % by Volume: UEL UPPER: N/D

LEL LOWER: N/D

Suitable extinguishable media:

Dry chemical, carbon dioxide, foam, water

Unusual Fire and Explosion Hazards:



None known
Special Fire fighting Procedures:
None known

6. REACTIVITY DATA

Stability: Stable

Materials to avoid: Strong oxidizing agents

Conditions to avoid: None known

Hazardous Polymerization: Will not occur

Hazardous Decomposition or By-Products: Upon ignition may form CO₂, CO, and various hydrocarbon fumes.

7. HEALTH HAZARDS

Acute: None known

Chronic: None known

Signs And Symptoms of Exposure: None known

Medical Conditions Generally Aggravated B Exposure: None known

Toxicity Data: National Toxicology Program: No
I.A.R.C. Monographs: No
OSHA: No

Emergency And First Aid Procedures:

Eye contact: Flush with warm water for 15 minutes. If irritation persists, contact physician.

Skin contact: wash contaminated area with soap and water.

Ingestion: DO NOT INDUCE VOMITING, Contact a physician.

Routes of Entry:

Inhalation: No

Eyes: No

Skin: No

Ingestion: Not likely

8. PRECAUTIONS FOR SAFE HANDLING AND USE



Steps to be taken in case Material is Released or Spilled: Remove source of ignition.

Waste Disposal: Dispose of in accordance with local, state and federal regulations.

Precautions to be taken in handling and storage: Rotate stock. Do not stack cartons on end.

9. CONTROL MEASURES

Respiratory Protection: Not required under normal applications

Ventilation:

Local exhaust: N/A

Special: N/A

Mechanical : N/A

Other : N/A

Protective Gloves: Chemical resistant, Imperious

Eye Protection: Safety goggles or glasses

Other protective clothing or equipment: N/A

Hygienic Practices: Wash Hands with soap and water after working with this material. Practice good personal hygiene.

10. DISCLAIMER OF LIABILITY

The information and recommendations provided herein are believed to be accurate at the time of preparation obtained from sources believed to be reliable. Concrete Sealants, Inc., makes no warranty, expressed or implied, concerning this document or the accuracy of the information contained herein.

The information and recommendations contained herein are not intended to relieve the reader of responsibility to investigate and understand the laws, procedures, and regulations applicable to the readers enterprise, not to relieve the reader of responsibility to comply with laws applicable to the readers enterprise and place of business and to verify independently the information provided in this document as it may relate to the reader's specific process or application.